



AUSTRALIAN BEE SUPPLIES

ALUEN CAP

42-DAY AUSTRALIAN QUICK GUIDE

CONTROL VARROA WITH SLOW-RELEASE OXALIC ACID STRIPS

4 STRIPS

8-10 frame hive

42 DAYS

then remove

NO TEMP RANGE

stated in PER95790

SEE EXACTLY WHERE EACH STRIP GOES



Top view: place strips near the centre on frames 2, 4, 6 and 8. Fold each strip over one top bar so both legs hang into the brood nest.

HOW TO APPLY

KEY FACTS TO CONFIRM

- 1 Open the hive, complete the approved pre-treatment surveillance and record the result. Clear burr comb from the top bars.
- 2 Take 4 strips for an 8-10 frame hive, or 2 strips for a 5-6 frame nucleus colony.
- 3 Gently fold each strip in half. Do not tear or cut the strip.
- 4 For an 8-10 frame hive, fold strips over the top bars of frames 2, 4, 6 and 8. For a nucleus colony, use frames 2 and 4.
- 5 Let both legs hang down between the frames into the brood nest. Close the hive and leave undisturbed for 42 days.
- 6 After 42 days remove every strip, complete post-treatment surveillance and record the result. Single-use only - do not reuse.

HONEY SUPERS

YES. Supers may remain during the 42-day treatment.

WITHHOLDING PERIOD (WHP)

Zero (0) days after every strip is removed.

HONEY QUALITY

No specific honey-taint warning is stated in PER95790. Follow the current permit and WHP.

TEMPERATURE

NOT CRITICAL. PER95790 states no treatment temperature range.

TARGETS

Mites on adult bees and mites entering the hive. No direct claim for mites under capped brood.

EXPECTED EFFECTIVENESS

About 57-93% in published overseas studies; variable. Australian commercial efficacy is still being evaluated. Monitor after treatment.

RESISTANCE + USE LIMITS

No known resistance risk. Rotate mode of action. Use once per year and not over two consecutive treatment periods.

PERMIT OVERRIDE

Check current APVMA Permit PER95790. Permit conditions override overseas labels and general claims.

IMPORTANT SAFETY + AUSTRALIAN DIRECTIONS

Handle only in a well-ventilated area. Harmful if swallowed; irritates nose and throat; damages eyes and skin; may cause contact dermatitis. Wear cotton overalls buttoned at neck and wrist, gauntlet-length chemical-resistant gloves and goggles. If poisoning occurs call a doctor or Poisons Information Centre 13 11 26. Do not induce vomiting. Wash exposed skin thoroughly. Flush eyes for at least 15 minutes and see a doctor. **Do not use with other veterinary products or miticides. Treat all colonies in the apiary simultaneously. Do not contaminate wetlands or watercourses. Dispose through an approved waste facility or under local requirements; never burn.**

STORAGE: Keep in the closed original container below 30 C and protected from light. Discard unused strips 24 hours after first opening the pouch.